

Driver: _____ Track: _____ Event: _____
 Date: _____ Qualifying: _____ Final: _____ Best Lap: _____

TRACK TYPE

Grip Level High Medium Low
 Type Tight Open Mixed
 Condition Flat Bumpy Mixed
 Surface Tarmac (Asphalt) Carpet
 Track Temp _____ °C
 Weather _____

Notes:

TYRES


Side Wall Glue Height Ø _____ mm
 Tyres _____
 Cleaner _____
 Additive _____ Wet on track
 Additive Time Front: _____ mins Rear: _____ mins
 Heating Time Front: _____ mins Rear: _____ mins
 Heating Temp Front: _____ °C Rear: _____ °C

Notes:

FRONT

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, ST = Steel
 F = Front, R = Rear


Ride Height _____ mm
 Camber _____ deg
 Droop _____ mm
 Castor _____ deg
 Toe _____ deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch 2 Notch
 Spool Height ↑ ↓ U8777 +0.5mm Alloy Eccentric U9523 Low Trans Housing
 Servo Horn Height _____ mm Saver
 Steering Travel _____ in _____ out
 Shock Mount Position Inboard Outboard



REAR

KEY: CF = Carbon Fibre, AL = Aluminium, P = Plastic, ST = Steel
 F = Front, R = Rear

Ride Height _____ mm
 Camber _____ deg
 Droop _____ mm
 Castor _____ deg
 Toe _____ deg
 Anti Roll Bar 1.1 1.2 1.3 1.4
 Upper Link Mount 0 Notch 1 Notch 2 Notch
 Diff Height ↑ ↓ U8777 +0.5mm Alloy Eccentric U9522 Low Trans Housing
 Diff Setting _____ cSt Diff Checker # _____ Warming Duration: _____
 Shock Mount Position Inboard Outboard



BODYSHELL

Body _____
 Wing _____ End Plates
 Wing Height _____ mm
 Splitter Height _____ mm
 Body Weight _____ g
 Body Offset Fwrd _____ mm
 Front Post 1dot 2dot 3dot Pin Hole
 Rear Post 1dot 2dot 3dot Pin Hole
 Type: _____
 Notes:

CHASSIS

Chassis _____
 ST CF AL
 Top Deck Options 1 Pc TITC U9550
 Front 2 Piece C/F 1.6 C/F 2.0
 Rear 2 Piece C/F 1.6 C/F 2.0
 Motor Mount Screws R _____ F _____
 PTFE Tape Total Weight _____ g
 Weight Distribution _____ % g - Rear

ELECTRONICS

E.S.C. _____ + g
 Servo _____
 RX _____ + g
 LiPo _____ + g
 Motor _____ Spacers _____ mm
 Rotor Dia. _____ mm
 Timing _____ deg
 Gear Pitch 48 64
 Pinion _____ t
 Spur _____ t
 Ratio _____

SHOCKS

KEY: x = Stroke, e = external

	FRONT	REAR
Spring	_____	_____
Oil	_____ cSt	_____ cSt
Piston	Kit <input type="checkbox"/>	Kit <input type="checkbox"/>
Length (x)	_____ mm	_____ mm
Rebound	_____ mm	_____ mm
Limiters (e)	_____ mm	_____ mm
Body	Kit <input type="checkbox"/>	K-Coat U8770 <input type="checkbox"/>

Notes: